Neuroscience Letters, 210 (1996) 219–221
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Albowitz, B., see Langenstroth, M., 103
Albuquerque, E.X., see Barbosa, C.T.F., 177
Alkondon, M., see Barbosa, C.T.F., 177
Amouri, R., see Guenneugues, M., 17
Anderson, B., Alterations in cortical thickness and neuronal density in the frontal cortex of Albert Einstein, 161
Andjus, P.R., Changes in intracellular calcium induced by NMDA in cultured rat hippocampal neurons require exogenous glycine, 25
Angel, F., see Borderies, J.R., 91
Aracava, Y., see Barbosa, C.T.F., 177
Audi, J., see Niemi, W.D., 127
Avoli, M., see Lopantsev, V., 5

Balzamo, E., see Fontanari, P., 130
Barbosa, C.T.F., Ligand-gated ion channels in acutely dissociated rat hippocampal neurons with long dendrites, 177
Bardoni, R., Potassium currents in periglomerular cells of frog olfactory bulb in vitro, 95
Beach, T.G., Increased β-amyloid precursor protein mRNA in the rat cerebral cortex and hippocampus after chronic systemic atropine treatment, 13
Belluzzi, O., see Bardoni, R., 95
Benrabh, H., Glutamate is transported across the rat blood–brain barrier by a sodium-independent system, 9
Benz, A.M., see Izumi, Y., 157
Berthoud, H.-R., Innervation of rat abdominal paraganglia by calretinin-like immunoreactive nerve fibers, 115
Besse, D., see Thomas, D.A., 124
Blandizzi, C., see Colucci, R., 29
Bohl, J., see Braak, H., 87
Bolha, B., see Hlavacka, F., 83
Borderies, J.R., Non-adrenergic, non-cholinergic inhibitory junction potential in rat colonic circular muscle is partly sensitive to ω-conotoxin GVIA and resistant to L-, P- or Q-type calcium channel blockers, 91
Braak, E., see Braak, H., 87
Braak, H., Age, neurofibrillary changes, Aβ-amyloid and the onset of Alzheimer's disease, 87
Brandstätter, R., γ-Aminobutyric acid enhances the light response of ganglion cells in the trout pineal organ, 173

Carignani, D., see Colucci, R., 29
Carpenter, D.O., see Niemi, W.D., 127
Carrasco, M., see Portillo, F., 197
Carter, D.B., see Dunn, E., 218
Cecchi, C., see Liguri, G., 153
Chai, C.-Y., see Li, H.-T., 193
Chang, A.C., see Chen, W.-M., 33
Chang, N.-C.A., see Chen, W.-M., 33
Chen, W.-M., Characterization of the regulatory regions of murine α2C2 adrenoceptor subtype gene, 33
Chen, W.-Y., see Li, H.-T., 193
Cheng, F.-C., see Li, H.-T., 193
Cherubini, E., see Andjus, P.R., 25
Clifford, D.B., see Izumi, Y., 157
Colucci, R., Determination on functional basis of presynaptic α_2-adrenoceptor subtypes in guinea-pig duodenum, 29
Craddock, S.D., see Geddes, J.W., 205
Crema, F., see Colucci, R., 29
Cutrera, R.A., Phase-shifting effect of 8-OH-DPAT, a 5-HT$_{1A}$/5-HT$_7$ receptor agonist, on locomotor activity in golden hamster in constant darkness, 1
Cynader, M.S., see Beach, T.G., 13

Dang, N., see Ohman, T., 65
Dawson, T.M., see Lam, H.H.D., 201
Degl'Innocenti, D., see Liguri, G., 153
Del Tacca, M., see Colucci, R., 29
Drozdz, R., see Jolivalt, C., 61
Dubner, R., see Thomas, D.A., 124
Dunn, E., Differential distribution of γ-aminobutyric acid$_A$ receptor subunit (α_1, α_2, α_3, α_5 and β_{2+3}) immunoreactivity in the medial prefrontal cortex of the rat, 218

Earl, C.D., Foetal ventral mesencephalic cell suspension grafts to the 6-hydroxydopamine-lesioned rat reduce the rate of dopamine uptake in the contralateral striatum, 185

Fontanari, P., Resistive loaded breathing changes the motor drive to arm and leg muscles in man, 130
Forehand, C.J., see Nemoto, K., 69
Fritschy, J.-M., see Dunn, E., 218
Fujita, S., see Murayama, N., 121
Fukamachi, K., see Nemoto, K., 69
Fukuchi, K.-i., see Ohman, T., 65
Furlong, C.E., see Ohman, T., 65

Garey, L.J., see Ong, W.Y., 107
Geddes, J.W., Permanent focal and transient global cerebral ischemia increase glial and neuronal expression of heme oxygenase-1, but not heme oxygenase-2, protein in rat brain, 205
Golanov, E.V., Electrical stimulation of cerebellar fastigial nucleus fails to rematch blood flow and metabolism in focal ischemic infarctions, 181
Gorman, M.R., Three daily melatonin infusions alter gonadal development but not GnRH neuron number in the medial preoptic area or diagonal band of Broca in Siberian hamsters, 165
Goudou, D., see Guenneugues, M., 17
Guenneugues, M., Mouse G2-GPI AChE is processed as a membrane-bound ectoenzyme in transfected mouse sarcoma cells but is not a homophilic adhesion molecule, 17

Hanley, D.F., see Lam, H.H.D., 201
Harvey, T., see Anderson, B., 161
Hashiguchi, H., see Ishida, Y., 75
Hatanaka, K., see Murayama, N., 121
Hendley, E.D., see Nemoto, K., 69
Hermann, A., see Brandstätter, R., 173
Hlavacka, F., Human self-motion perception during translatory vestibular and proprioceptive stimulation, 83
Holtz, M.L., see Geddes, J.W., 205
Hughes, L.H., see Beach, T.G., 13

Igasaki, T., see Murayama, N., 121
Igelmund, P., see Nikmanesh, F.Gh., 119
Ishida, Y., Dopaminergic transplants alter in vivo activity of tryptophan hydroxylase in the striatum in a rat model of Parkinson's disease, 75

Izumi, Y., Nitric oxide inhibitors attenuate ischemic degeneration in the CA1 region of rat hippocampal slices, 157

Jammes, Y., see Fontanari, P., 130
Jia, H.-G., GABAergic synapses upon neurons expressing substance P receptors in the nucleus of the solitary tract: an immunocytochemical electron microscope study in the rat, 49
Jimbo, Y., see Watanabe, S., 41
Jiménez, M., see Borderies, J.R., 91
Johannes, S., Hierarchical visual stimuli: electrophysiological evidence for separate left hemispheric global and local processing mechanisms in humans, 111
Jolivalt, C., Apolipoprotein E is highly susceptible to oxidation by myeloperoxidase, an enzyme present in the brain, 61
Ju, G., see Zhang, X., 169

Kageyama, H., see Nemoto, K., 69
Kamei, J., Role of spleen or spleen products in the reduced locomotor-enhancing effect of morphine in diabetic mice, 57
Kamioka, H., see Watanabe, S., 41
Kaneko, T., see Jia, H.-G., 49
Kanno, A., see Murayama, N., 121
Kawaguchi, Y., see Nakamura, H., 45
Kawana, A., see Watanabe, S., 41
Kharazia, V.N., EM colocalization of AMPA and NMDA receptor subunits at synapses in rat cerebral cortex, 37
Khiroug, L., see Andjus, P.R., 25
Kimura, A., Single electrical shock of a somatic afferent nerve elicits A- and C-reflex discharges in gastric vagal efferent nerves in anesthetized rats, 53
Kirino, Y., see Watanabe, S., 41
Kitagawa, H., see Nakamura, H., 45
Koroleva, V.I., see Krivanek, J., 79
Krivanek, J., Protein kinase C in the rat cerebral cortex during spreading depression, 79
Kuhnt, U., see Langenstroth, M., 103
Kuo, J.-S., see Li, H.-T., 193
Kupsch, A., see Earl, C.D., 185
Kuwahara, I., see Ishida, Y., 75

Lagier-Tessonnier, F., see Fontanari, P., 130
Laight, R., see Trowern, A.R., 21
Lam, H.H.D., Induction of spinal cord neuronal nitric oxide synthase (NOS) after formalin injection in the rat hind paw, 201
Langenstroth, M., Partial suppression of $GABA_A$-mediated inhibition induces spatially restricted epileptiform activity in guinea pig neocortical slices, 103
Latorraca, S., see Liguri, G., 153
Lazzeri, G., see Colucci, R., 29
Le Gal La Salle, G., see Zhang, X., 169
LeBoeuf, R.C., see Ohman, T., 65
Lefauconnier, J.M., see Benrabh, H., 9
Leininger-Muller, B., see Jolivalt,C., 61
Li, H.-T., The dorsal facial area of the medulla in cats: inhibitory action of serotonin on glutamate release in regulating common carotid blood flow, 193
Liguri, G., Alteration of acylphosphatase levels in familial Alzheimer's disease fibroblasts with presenilin gene mutations, 153
Lin, C.-C., see Chen, W.-M., 33
Liu, L., see Li, H.-T., 193

Lopantsev, V., Reverberation of chloride-dependent synaptic potentials in the rat entorhinal cortex in vitro, 5

MacLean, N., see Trowern, A.R., 21
Maelicke, A., see Barbosa, C.T.F., 177
Magherini, P.C., see Bardoni, R., 95
Maines, M.D., see Geddes, J.W., 205
Mann, D.A., see Trowern, A.R., 21
Marburger, A., see Earl, C.D., 185
Matzke, M., see Johannes, S., 111
Mendelsohn, F.A.O., see Reed, G., 209
Merchant, K.M., see Dunn, E., 218
Mergner, Th., see Hlavacka, F., 83
Mitsuyama, Y., see Ishida, Y., 75
Mizuno, N., see Jia, H.-G., 49
Moeller, I., see Reed, G., 209
Morgenstern, R., see Earl, C.D., 185
Münte, T.F., see Johannes, S., 111
Murayama, N., Gustatory evoked magnetic fields in humans, 121

Nakamura, H., Direct and indirect activation of human corticospinal neurons by transcranial magnetic and electrical stimulation, 45
Nakasato, N., see Murayama, N., 121
Nakashima, S., see Sakai, H., 189
Nakatani, K., see Sakai, H., 189
Naskalski, J.W., see Jolivalt, C., 61
Natale, G., see Colucci, R., 29
Nemoto, K., Mutation of low affinity nerve growth factor receptor gene is associated with the hypertensive phenotype in spontaneously hypertensive inbred rat strains, 69
Niemi, W.D., Propylthiouracil treatment reduces long-term potentiation in area CA1 of neonatal rat hippocampus, 127
Nikmanesh, F.Gh., Histamine enhances synaptic transmission in hippocampal slices from hibernating and warm-acclimated Turkish hamsters, 119
Nistri, A., see Andjus, P.R., 25
Nozawa, Y., see Sakai, H., 189

Oertel, W.H., see Earl, C.D., 185
Ohman, T., Expression of apolipoprotein E inhibits aggregation of the C-terminal fragments of β-amyloid precursor protein, 65
Ong, W.Y., A light and electron microscopic study of GluR4-positive cells in human cerebral cortex, 107

Patterson, L.M., see Berthoud, H.-R., 115
Perez, F., Expression of exogenous genes transferred into the avian limb in ovo, 99
Pettigrew, L.C., see Geddes, J.W., 205
Pévet, P., see Cutrera, R.A., 1
Phend, K.D., see Kharazia, V.N., 37
Pieri, A., see Liguri, G., 153
Portillo, F., Hypothalamic neuron projection to autonomic preganglionic levels related with glucose metabolism: a fluorescent labelling study in the rat, 197
Puopolo, M., see Bardoni, R., 95

Raja, S., see Lam, H.H.D., 201
Ramponi, G., see Liguri, G., 153
Rao, Z.-R., see Jia, H.-G., 49
Reed, G., A novel action of angiotensin peptides in inhibiting neurite

outgrowth from isolated chick sympathetic neurons in culture, 209
Reintjes, R., see Braak, H., 87
Reis, D.J., see Golanov, E.V., 181
Rej, R., see Niemi, W.D., 127
Ren, K., see Thomas, D.A., 124
Ridoux, V., see Zhang, X., 169
Rieger, F., see Guenneugues, M., 17
Ronchi, E., see Perez, F., 99
Ruda, M.A., see Thomas, D.A., 124
Rustioni, A., see Kharazia, V.N., 37

Saboureau, M., see Cutrera, R.A., 1
Saito, S., see Lam, H.H.D., 201
Saitoh, A., see Kamei, J., 57
Sakai, H., Suppressed expression of CD44 variant isoforms during human glioma A172 cell differentiation induced by cyclic AMP, 189
Sakai, N., see Sakai, H., 189
Sato, A., see Kimura, A., 53
Sato, Y., see Kimura, A., 53
Sautter, J., see Earl, C.D., 185
Schönfuß, D., see Earl, C.D., 185
Sekimoto, M., see Nemoto, K., 69
Senba, E., see Nemoto, K., 69
Shi, J.-W., see Jia, H.-G., 49
Shigemoto, R., see Jia, H.-G., 49
Shinoda, J., see Sakai, H., 189
Siest, G., see Jolivalt, C., 61
Slivinski, K., see Niemi, W.D., 127
Small, D.H., see Reed, G., 209
Sorbi, S., see Liguri, G., 153
Spangenberger, H., see Nikmanesh, F.Gh., 119
Strecker, S., see Earl, C.D., 185
Suzuki, A., see Kimura, A., 53

Thomas, D.A., Application of nitric oxide synthase inhibitor, N^{ω}-nitro-L-arginine methyl ester, on injured nerve attenuates neuropathy-induced thermal hyperalgesia in rats, 124
Todaka, K., see Ishida, Y., 75
Tomita, I., see Nemoto, K., 69
Trapp, B.D., see Lam, H.H.D., 201
Trowern, A.R., Detection of neuron-specific protein gene product (PGP) 9.5 in the rat and zebrafish using anti-human PGP9.5 antibodies, 21
Tsuji, H., see Nakamura, H., 45

Ueyama, T., see Nemoto, K., 69

Vallo, J.J., see Portillo, F., 197
Verdière-Sahuqué, M., see Guenneugues, M., 17
Vuillon-Cacciuttolo, G., see Fontanari, P., 130

Walker, D.G., see Beach, T.G., 13
Wang, B.-R., see Jia, H.-G., 49
Wang, C.-M., see Chen, W.-M., 33
Watanabe, S., Development of low magnesium-induced spontaneous synchronized bursting and GABAergic modulation in cultured rat neocortical neurons, 41
Weinberg, R.J., see Kharazia, V.N., 37
Wieringa, B.M., see Johannes, S., 111

Yakel, J.L., see Andjus, P.R., 25
Yamada, H., see Sakai, H., 189
Yamaguchi, H., see Lam, H.H.D., 201
Yamamoto, S., see Golanov, E.V., 181
Yang, C.-S., see Li, H.-T., 193
Yang, Z., see Earl, C.D., 185
Yellon, S.M., see Gorman, M.R., 165
Yoshimoto, T., see Murayama, N., 121
Yoshimura, S.-i., see Sakai, H., 189
Yu, P.H., see Zhang, X., 169

Zattara-Hartmann, M.C., see Fontanari, P., 130
Zhang, X., Fos oncoprotein expression in the rat forebrain following muscimol-induced absence seizures, 169
Zorumski, C.F., see Izumi, Y., 157